



Statement of principles to determine the amount of a penalty charge under Part 4 of The Smoke and Carbon Monoxide Alarm (England) Regulations 2015 as amended by The Smoke and Carbon Monoxide Alarm (Amendment) Regulations 2022 (“the Regulations”)

Section 13 of the Regulations requires local housing authorities to prepare and publish a statement of principles which they propose to follow in determining the amount of a penalty charge.

The Regulations introduced legal requirements on most private sector landlords to:

1. Equip a smoke alarm on each storey of the premises on which there is a room used wholly or partly as living accommodation.
2. During any period when the premises were occupied under the tenancy, to ensure that a carbon monoxide alarm is equipped in any room of the premises which is used wholly or partly as living accommodation, and which contains fixed combustion appliance other than a gas cooker.
3. Carry out checks by or on behalf of the landlord to ensure that each prescribed alarm is in proper working order on the day the tenancy begins if it is a new tenancy.
4. Where, following a report made on or after 1st October 2022 by a tenant or by their nominated representative to the landlord, a prescribed alarm is found not to be in proper working order, the alarm is repaired or replaced.

For the purposes of the legislation, living accommodation includes a bathroom or lavatory.

Where the Council believe that a landlord is in breach of one or more of the above duties, the Council must serve a remedial notice on the landlord. The remedial notice is a notice served under Regulation 5 of the Regulations.

If the landlord then fails to take the remedial action specified in the notice within the specified timescale, the Council can require a landlord to pay a penalty charge. The power to charge a penalty arises from Regulation 8 of the Regulations. Failure to comply with each remedial notice can lead to a fine of up to £5,000. Fines will be applied per breach, rather than per landlord or property.

The Council will impose a penalty charge where it is satisfied, on the balance of probabilities, that the landlord has not complied with the action specified in the remedial notice within the required timescale.

A landlord will not be considered to be in breach of their duty to comply with the remedial notice if they can demonstrate they have taken all reasonable steps to comply. Where there is evidence, including written correspondence, of repeated and consistent efforts to obtain access to the property, with access repeatedly being prevented by the occupant(s) of the property, a landlord will not be considered to be in breach of their duty to comply with the remedial notice. A landlord will be expected to have:

- Communicated the risk of harm that the lack of functioning alarms posed to all occupants in writing on multiple occasions.
- Requested access to comply with the remedial notice on a regular basis of no longer than every seven days in writing.

In considering the imposition of a penalty, the Council may look at the evidence concerning the breach of the requirement of the notice. A non-exhaustive list of methods that may be used to obtain relevant evidence includes, but is not limited to:

- Evidence obtained from a property inspection
- Evidence provided by the tenant or agent
- Evidence provided by the landlord demonstrating compliance with the Regulations by supplying dated photographs of alarms, together with installation records

Landlords need to take steps to demonstrate that they have met the testing requirements at the start of the tenancy requirements. A non-exhaustive list of methods that may be used to evidence compliance with these testing requirements includes, but is not limited to:

- Tenants signing an inventory form which states that they observed the alarms being tested and confirming that the alarms were in working order at the start of the tenancy

When determining the amount of the penalty charge, regard will be had to whether this is a first breach under the Regulations.

Determining the amount of the penalty charge for a first breach

The minimum amount of a penalty charge for a first breach of the Regulations will be £2,500. The starting level of a penalty charge for a first breach of the Regulations will be £3,000. The penalty charge amount will then be varied depending on aggravating and mitigating factors.

Aggravating factors include, but are not limited to:

- The number of alarms not working or missing (the Regulations state there should be one per storey)
- Other fire safety concerns/defects in the property which increase the risk posed to the occupants
- The length of time the offence is believed to have been on-going

- The frequency of complaints by the occupiers to the landlord about the non-working or missing alarms
- The costs of any remedial work the Council have carried out in response to the breach
- Whether the property is let as an HMO (which increases the overall risk)
- The number of occupants living in the property
- Presence of vulnerable occupiers such as elderly, children or disabled people
- Any history of previous enforcement or non-compliance of the landlord
- Attempts to obstruct the investigation

Mitigating factors include, but are not limited to:

- The property being small and low-risk (for example a one-bedroom ground floor flat with a large number of fire escapes including large windows)
- A single occupant living in the property
- Evidence that all required alarms were checked and in working order at the start of the tenancy
- Written evidence that some efforts to gain access and comply with the remedial notice were made and access was prevented by the occupant

Determining the amount of the penalty charge for a subsequent breach

The penalty for subsequent breaches by the same landlord will be £5,000.